



PT Basis Pancakarya

Jl. Raya Sumber Jaya No. 61, Tambun 17510, Bekasi Timur, Jawa Barat, Indonesia
Telp : 021- 9300-9536 Fax : 021 8242-8098 Email : cs@Basisrubber.com

Material Safety Data Sheet

1. Material Product and Company Identification

Product Name : Basis Warna Ultra Violet 801
Colour Index : Violet 23
Material Characterization : Rubber Color Masterbatch
Hazard Identification : No Special hazards
Uses : Colorant for rubber and EVA

Company

Name : PT BASIS PANCAKARYA
Address : Jl. Raya Sumber Jaya No 61; Tambun 17510 ;
Bekasi Timur; Jawa Barat; Indonesia
Phone Number : +6221- 93009536
E-mail : cs@BasisRubber.com

Issued by

Dep't : Safety Section
Name : Randy Djun
Date : 10 Dec 2002

Revision

Rev. Number : 0
Rev. Date :

2. Composition / Information on ingredients

COMPONENT	SYNONYMS	CAS NO.	CONTENT(%)
Styrene Butadiene Rubber	SBR	9003-55-8	40
Dioxazin.-Violet Pigments	N/A	6358-30-1	45
Processing Oils & Aids	N/A	N/A	15

3. Hazards / First aid procedures

GENERAL ADVICE : Handling of solid Rubber Color Masterbatch is not a serious health hazard and does not require special first aid facilities. If in doubt, seek medical attention.

EYE : Irrigate with water

SKIN : Wash with warm water and mild soap.

INGESTION : Seek medical assistance; avoid consuming food in working area.

INHALATION : Seek medical assistance.

IN ALL CASES OF EMERGENCY, CONTACT A PHYSICIAN

4. FIRE AND EXPLOSION INFORMATION

Flammability : Yes

Flammability Conditions : Heat; Oxidation

Extinguishment Means : Water, ABC Dry Chemical Extinguisher



PT Basis Pancakarya

Jl. Raya Sumber Jaya No. 61, Tambun 17510, Bekasi Timur, Jawa Barat, Indonesia
Telp : 021- 9300-9536 Fax : 021 8242-8098 Email : cs@Basisrubber.com

Flashpoint	: >300°C
Upper Explosion Limits	: Unknown
Lower Explosion Limits	: Unknown
Auto Ignition Temperature	: > 300°C
TDG Flammability Classification	: Unknown
Hazardous Combustion Products	: Carbon Monoxide
Rate of Burning	: Varies
Explosive Power	: Unknown
Sensitivity to Static Discharge	: Unknown

5. SPILLS AND ENVIRONMENTAL INFORMATION

SPILL OR LEAK PRECAUTIONS: N/A.

WASTE DISPOSAL: All containers should be effectively labelled to facilitate the appropriate disposal or Reclaim

6. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Personal Protective Equipment	: Clothing when Processing.
Gloves	: Yes
Respiratory	: No
Eye	: Yes
Footwear	: Yes
Clothing	: Yes
Engineering Controls	: Ventilate during processing
Leak and Spill Procedure	: N/A
Waste Disposal	: Bury, Burn under controlled conditions or Reclaim.
Storage Requirements	: Avoid heat, direct sunlight and contact with oxidation-catalysts.

7. PHYSICAL AND CHEMICAL INFORMATION

Physical State	: Solid
Odour	: Slight
Appearance	: Variable slab
Evaporation Rate	: Not Applicable
Specific Gravity	: 1,14
Boiling Point	: Not Applicable
Vapour Pressure	: Not Applicable
Viscosity cPs (25°C)	: Solid
Solubility in Water	: Insoluble
pH (aqueous suspension 100g/L)	: N/A

8. STABILITY AND REACTIVITY

Chemical Stability	: Yes
Incompatibility to other substances	: Heavy Metals (eg: Cu) acting as pre-oxidants.
Reactivity and under what conditions	: Starts to decompose above 220°C, finally Emitting vapours which may be toxic and flammable at temperatures near 300* C.



PT Basis Pancakarya

Jl. Raya Sumber Jaya No. 61, Tambun 17510, Bekasi Timur, Jawa Barat, Indonesia
Telp : 021- 9300-9536 Fax : 021 8242-8098 Email : cs@Basisrubber.com

Hazardous Decomposition Products : Styrene and Butadiene derivatives: Carbon monoxide.

9. TOXICOLOGICAL INFORMATION

Route of Entry : Ingestion
Affects of Acute Exposure to Product : Unknown, but avoid ingestion
Effects of Chronic Exposure to Product : Unknown, but avoid ingestion
LD50 of Product (Route) : Unknown
Irritancy of Product : Unknown
Exposure Limits of Product : Unknown.

10. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA : No information available.

11. OTHER INFORMATION

Additional Information/Comments : Rubber Color Masterbatch is not a hazardous material.
Sources Uses : BRMA toxicity and Safe handling of Rubber Chemicals, British Rubber Manufacturers Association. Also" Health and Safety" Malaysian Natural Rubber